A person in a dark suit is standing in a narrow, dimly lit alleyway between brick buildings. Instead of a head, they have a computer monitor. The monitor's screen displays two simple, smiling eyes. The person is holding and playing a saxophone. The alleyway is illuminated by several vertical neon light tubes in various colors: pink, yellow, orange, and blue. The scene has a cinematic, urban feel.

Turn Anywhere Into A Shooting-Ready Studio

— SIRUI Lighting Equipment Catalog —

SIRUI, Capturing Your Imagination

Considering and solving problems according to customers' demands is the concept that SIRUI always recognizes and adheres to. Because of it, SIRUI has won the recognition and support from the photographers and shutterbugs all over the world. SIRUI has established an impressive customer service network throughout the world, and over 300 sales outlets and terminal showrooms. SIRUI also actively participates in various imaging education, public welfare and environmental protection activities to help you capture your imagination!

SIRUI, Creating with its Ambition

In the past two decades, SIRUI insisted in improving and strengthening itself on the road of exploration, accumulation and development. Looking toward to the future, SIRUI will further promote the progress of Imaging Industry with its technology and innovation. SIRUI is changing people's imaging life with its aspiring attitude and creation.


SIRUI, Developing from Made in China to Innovated in China

SIRUI always focuses on its research and development capacities, and insists to develop with independent innovation. We believe, with focus on "Technology Accumulation" and "Independent Innovation", SIRUI will realize the leap from Made in China to Innovated in China.




SIRUI Global Partner

SIRUI




SIRUI Awards and Honors



Contents

SIRUI Dragon Series B25R Bendable RGB LED Light	01
C60/C60B/C60R LED Light	05
60cm Softbox & 2.8m Light Stand	10
E30B Bi-Color LED Panel	14
T60/T120 Telescopic Tube Light	19




SIRUI Dragon Series B25R Bendable RGB LED Light

As the world's first bendable lighting solution, the B25R can be bent inwards or outwards to fit the shape of the subject, giving your image a three-dimensional look. A host of features are built into the light for endless creative possibilities.

SIRUI Dragon Series B25R Bendable RGB LED Light

Two-Way Bendable

It used to take several flat light sources to properly illuminate a subject, but now a bendable B25R will do the job.



Quick Combination


Each end of the B25R features a quick-release design, which allows you to seamlessly combine several lights together for a longer, brighter light source.

SIRUI Dragon Series B25R Bendable RGB LED Light

2 Lights On 1 Connector

B25R has three 1/4" screw holes. The specially designed connector allows two lights to be mounted for a wider illumination area while saving a lot of space on set.

*The two-light kit comes standard with a connector.



Superior Performance

The B25R achieves an output of 2000lux at 0.5 meter. The high CRI and TLCI ratings demonstrate the light's advanced capability in rendering color.

SIRUI Dragon Series B25R Bendable RGB LED Light



Operation Modes

CCT mode, HSI mode, RGB mode and FX mode can be obtained in this light. A total of 10 user-programmable presets can be saved.



Dual Power Solutions

This light can be run off an AC adapter or through a lithium battery.

*The NP-F970 battery is not included.

Model	Dimensions(mm)	Illuminance	Weight	Built-in Lithium Battery	Adapter	TLCI	CRI	Control Method	Power	Ambient Temperature Operation	CCT	Special Effect	Wireless Operating Range (Bluetooth)
B25R	583*75*32.3mm/ 22.95*2.95*1.27in	0.5m 2000lux	960g/ 2.12lbs	3*2600mAh 3.7V	9V 4A	98	96	APP	25W	-10°C-45°C	2700K-8500K	16	15m



C60B

C60R

C60

SIRUI 60W LED Light Series

With a perfect combination of high quality and affordable price, the SIRUI 60W LED Light Series has the following advantages: portable, noiseless, quick-load battery box, high brightness, etc.

SIRUI 60W LED Light Series

40dB vs 20dB

80dB



40dB



20dB



OTHER BRAND

SIRUI 60W LED LIGHT

20dB Whisper Quiet

Advanced technologies are used to reduce the fan noise to as low as 20dB.

UNEVEN



OTHER BRAND

VS

EVEN



SIRUI 60W LED LIGHT

Brighter & Softer


When used with the included 55° reflector, the SIRUI 60W LED Light Series gives out brighter and softer light than similar products.

Quick-Load Battery Box

SIRUI quick-load battery box requires no cable, which allows shooters to create with more flexibility.



SIRUI 60W LED Light Series



Bowens Mount

The SIRUI 60W LED Light Series features a Bowens mount to work with a wide variety of light modifiers.




Handheld Friendly

Compact and portable for easy storage and transport. Use the included grip to achieve run-and-gun shooting.



SIRUI 60W LED Light Series



Daylight Version & Bicolor Version

C60 has a color temperature of 5600K with 8 lighting effects, and C60B features a variable color temperature from 2800K to 7000K with 12 lighting effects.

C60R RGB Version

360° Full Color, 9 Gel Presets, 2800-6500K CCT(G/M Adjustment), 16 Lighting Effects



SIRUI 60W LED Light Series

What's in the Box



- ① Light Body
- ② Quick-Load Battery Box
- ③ Grip
- ④ Lamp Cover
- ⑤ 55° Reflector
- ⑥ Adapter
- ⑦ Carrying Case
- ⑧ Instructions

Optional



60cm Softbox



2.8m Light Stand

Model	C60	C60B	C60R
Size	92*116*110mm	92*116*110mm	170*122*120mm
Weight	Light Body: 660g	Light Body: 700g	Light Body: 925g
Power	about 60W	about 60W	about 60W
Color Temperature Range	5600K	2800K~7000K	2800K~6500K
Special Effect	8	12	16
100% Illuminance	3000 lux at 1m	2300 lux at 1m	2300 lux at 1m
TLCI	98 on average	98 on average	98 on average
CRI	96 on average	96 on average	96 on average
Working Temperature	-10°C~45°C	-10°C~45°C	-10°C~45°C
Control Method	Control Panel & APP	Control Panel & APP	Control Panel & APP
Wireless Bluetooth Control Distance	15m	15m	15m




60cm Softbox

2.8m Light Stand

Quick-Release Softbox + Light Stand

The softbox features inner/front diffusion fabric and fabric grid to transform point-source hard lights into a beautiful soft even light, suitable for portrait shooting, live streaming, e-commerce, indoor shooting, etc.

Quick-Release Softbox + Light Stand




Quick Setup & Breakdown

Operation of the softbox can be as easy as pie. simply lift up the rods to open and push the buttons to close.



Bowens Mount

The softbox comes with a universal Bowens mount to work with a wide variety of lighting systems, including the SIRUI 60W Series LED light.



Inner & Front Diffusion Fabric

Fine and crease-resistant diffusion fabric is used to soften hard lights, creating consistent quality soft light to illuminate large spaces.



Hard Light



Soft Light

Quick-Release Softbox + Light Stand



Fabric Grid Included

A fabric grid is included to control the direction of light and minimize excess spill light, providing soft shadows that are pleasing to the eye.



1/4"-20" Screw



2.8m Light Stand

Universal Standard 1/4"-20 Threaded Hole!

Quick-Release Softbox + Light Stand



Buffer Spring

Gently descend to protect the light.

Model	2.8m/9.2ft Light Stand
-------	------------------------

Max Height(m/ft)	2.8/9.2
------------------	---------

Folded Height(mm/inches)	980/38.6
--------------------------	----------

Spreader Height(mm/inches)	705/27.8
----------------------------	----------

Load Capacity(kg/lbs)	Max at 10/22
-----------------------	--------------

Weight(kg/lbs)	1.7/3.75
----------------	----------

Threaded Hole	1/4-20"
---------------	---------

Model	60cm/23.6inches Quick-Release Softbox
-------	---------------------------------------

Size(cm/inches)	Ø60*30/23.6*11.8
-----------------	------------------

Weight(kg/lbs)	1.1/2.43
----------------	----------

Rod	16 Pieces
-----	-----------

Grid(mm/inches)	Ø570*40/22.4*1.6
-----------------	------------------

Structure	Quick-Release System
-----------	----------------------

Mount	Bowens Mount
-------	--------------



SIRUI E30B Bi-Color LED Panel

E30B LED panel produces high luminance with low power consumption. The panel has some great features, such as an internally diffused design, 12 lighting effects, battery-supported, and handheld grip.

SIRUI E30B Bi-Color LED Panel



Rival the Output of 58W LED Panels



Multi-layer optical structure is applied to make the E30B much brighter and softer than similar products. When shooting 1m away without a reflector, E30B produces 800 lux, which is higher than the output of 50W LED panels.



Compact & Portable

Compact & Portable

E30B weighs only half that of similar products at 880g. Throw the compact fixture into your backpack for easy storage and transport.


	VS	
Brand C		E30B
56W	Power	30W
790Lux	Luminance @1m	800Lux ✓



Grip Included

Compared to similar products that can only be mounted on a light stand, the E30B, with a grip included, has the ability to achieve quick run-and-gun shooting.

SIRUI E30B Bi-Color LED Panel



Battery Powered

With batteries loaded, you get rid of cables to shoot with more flexibility.



12 Lighting Effects

12 lighting effects allow filmmakers to simulate many lighting scenarios on a low budget.

SIRUI E30B Bi-Color LED Panel

Edge-Lit Design + Diffusion Panel

Common LED matrix usually produces harsh shadows. E30B adopts an edge-lit design and an internally diffused panel to produce consistent soft light with natural shadows.



CCT+High CRI/TLCI

E30B features a variable color temperature from 2800K to 7000K. 96 for CRI and 98 for TLCI, the E30B is capable of reproducing accurate vivid colors.

SIRUI E30B Bi-Color LED Panel



APP Control

Divide multiple lights into several groups and control them separately or simultaneously via the APP. One group supports up to 6 pieces of lights.

What's in the Box



- ① Light Body
- ② Grip
- ③ Adapter
- ④ Carrying Case

Model	E30B	100% Illuminance (LUX)	800lux at 1m
Size	269*169*36mm	TLCI	98
Weight	about 880g	CRI	96
Power	30W	Working Temperature	-10°C-45°C
Color Temperature Range	2800K~7000K	Control Method	Control Panel & APP
Special Effect	12	Wireless Bluetooth Control Distance	15m



SIRUI T60/T120 Telescopic Tube Light

The SIRUI T60/T120 telescopic tube light features great mobility, wide illumination range, and quick operation, making it suitable for a wide range of shooting scenarios such as product shooting, portrait shooting, light painting, and ambient lighting.



T60




T120



SIRUI T60/T120 Telescopic Tube Light

Telescopic Design

The SIRUI T60 and T120 telescopic tube light are manufactured in a two-section telescopic design for easy storage. The T60 can be used either as a 30cm tube light or a 60cm tube light, and similarly the T120 can be used as a 60cm tube light or a 120cm tube light.



True Color Rendering

T60/T120 outperforms its competitors in CRI (≥ 97) and TLCI (≥ 97) ratings. CVCC power supply is adopted to make sure the lights are consistent without flicker, reflecting the true color of objects.

SIRUI T60/T120 Telescopic Tube Light



Full RGB+14 FX+CCT

360° full color control, 14 lighting special effects and adjustable color temperature are all included. In addition, up to 20 sets of light group data can be saved for direct use next time.



Music Mode

The light has a soundhole at the bottom. Color changes as the volume turns up and down.



Wireless Control T60

Divide a number of lights into several groups. Lights under the same group can be controlled via the channel button on the detachable 2.4G wireless remote.

SIRUI T60/T120 Telescopic Tube Light

Smart APP

All features can be controlled via the SIRUI LIGHT APP. The color picker allows you to easily replicate a color.

*DMX control is available for T120.



- T60: A mini tripod is included.



- T120: No mini tripod is included.



- T120 Pro: A versatile mini tripod is included (two position settings, reverse folding, etc.)

Model	Dimensions(mm)	Illuminance	Weight	Built-in Lithium Battery	Adapter	Charge Time	Duration	Brightness Range	Charging Port	Power	Operation Temperature	Color Temperature Range	RGB Color Gamut	Remote Control Distance
T60	42×455/42×740	0.5m 1000lux	658g	3*2600mAh 3.7V	12.6V 2A	1.5H	2H	0%-100%	DC Power Jack	20W	-10°C-45°C	2500K-8000K	0-359°	15m
T120	51×50×694/ 51×50×1142	1m 700lux	1242g	2600mAh 14.4v 37.44Wh	20V 3A	4H	2.5H	0%-100%	DC Power Jack	40W	-10°C-45°C	2500K-8000K	0-359°	15m

What's in the Box:

T60: Light Body*1, Adapter*1, Carrying Bag*1, Mini Tripod*1

T120: Light Body*1, Adapter*1, Carrying Bag*1

T120 Pro: Light Body*1, Adapter*1, Clip*2, Carrying Bag*1, Mini Tripod*1

Follow @SIRUIImaging



Instagram



Facebook



Twitter

www.sirui.com

Guangdong SIRUI Optical Co.,Ltd.

The catalog is compiled as comprehensive and detailed as possible based on the existing information. But color, standard configuration and specifications are subject to change without notice.